

# **Chief Secretariat Southern Province**

# Bidding Document for Supply, Installation and Maintenance of Air Conditioners

Procurement No: SP/CS/NCB/2024/04

Issued to:
Date :
Invoice No:
Accountant (Supply)

### **Instruction to Bidders (ITB)**

### Bid No: SP/CS/NCB/2024/04

### **01. Scope of Procurement**

Sealed bids are invited by The Chairman of procurement committee, Chief Secretariat, Southern province for supply, installation and maintenance of 06 Air Conditioners on under mentioned conditions.

### 02. Qualifications and experience

- (i) Bids should be submitted either by a manufacturer or by supplier, bidder should have an established service provider in Sri Lanka.
- (ii) The Bidder should have minimum 03 years' experience, of selling & servicing of goods specified above.
- (iii) Annual turnover should be 10 million or more for 2023, and it should be proved by audited financial reports.
- (iv) The Bidder should have a capacity for providing an uninterrupted technical service and Back-up solutions for the entire warranty period.

### 03. Validity Period of the Bid

Quotation shall remain valid for a period not less than **90** days after the deadline specified for submission of bid. The Procurement Committee Chief Secretary's Office, Southern Province will award the contract to the bidder whose bid has been determined to be substantially responsive lowest evaluated bidder.

### 04. The Factors taken into Account in Pricing the Bid

- (i) Unit price offered shall include all, sale and other taxes already paid or payable. However VAT shall be indicated separately.
- (ii) The price quoted shall be fixed for the duration of contract and shall not be subjected to adjustment on any account.
- (iii) The prices shall be quoted in Sri Lanka Rupees (LKR) Only.
- (iv) The Price of bid should be included in the sheet of price scheduled only the annexure 01.

### 05. Delivery of Goods

The accepted bidder should have adequate stock for supplying 06 Air Conditioners within **06** weeks after receiving the valid purchasing order. These machines should be delivered and to be installed in the Chief Secretariat, Southern Province. The delivery cost should be beared by the supplier.

However, if the supplier fails to deliver the relevant items within the agreed period, a late fee of 0.025% of the total cost, will be charged per day of delay.

### 06. Service and Warranty

Bidder should submit minimum two year warranty for all equipment installed and ten years warranty for the Compressor. If repair takes more than 03 business days, replacement machine with same configurations should be provided. Maximum service level of 03 business days for hardware problems and maximum response time should be 01 business day.

The accepted bidder should sign a Service Agreement to provide services after the warranty period.

### 07. Requirement of Bid Security

Bids should be accompanied with a bid security as per the specimen form attached – (Annexure 04) of Rs. 75,000/- for procurement valid up to 06<sup>th</sup> November 2024 obtained from a bank recognizes by the government written to in favour of Chief Secretary – Chief Secretariat, Southern Province or the bidder shall deposit Rs. 75,000/- in cash to the cash counter of Chief Secretariat, S.H. Dahanayaka mawatha, Galle written to in favour of Chief Secretary - Chief Secretariat, Southern Province and the cash receipt should be enclosed to the bid paper.

### 08. Ineligible Bidders

Bidders will be considered as ineligible under the following situations.

- (i) The bidders who have not provided goods according to the agreement signed with the Chief Secretary Southern province in the past five years.
- (ii) Did not response during the warranty period.
- (iii) Failure service, after the warranty period.

### 09. Other Conditions

- (i) Alternative bid documents and options are not accepted.
- (ii) The bidder whose bid is accepted will be notified of the award of contract prior to the expiration of the bid validity period. The terms of the accepted offer shall be

- incorporated in the purchasing order.
- (iii) The accepted bidder should make an Agreement with the chief secretary Southern Province supplying goods accompanied with 10% performance bond of the total estimated value of the goods. (Specimen forms attached Annex 6-7)
- (iv) The purchaser reserves the right to accept or reject any quotation, and to cancel the process and reject all quotations at any time prior to acceptance, without thereby incurring any liability to bidders.

### 10. Submission and Opening of Bids

(i) You are requested to submit your quotation to the following address, under a sealed cover on or before 02.30 p.m. on 09<sup>th</sup> August 2024. Late quotations and quotations sent by email will not be accepted. Envelope containing the quotation should be written "Bid No: SP/CS/NCB/2024/04 Supply, Installation and Maintenance of Air Conditioners" on top left hand corner of the Envelop. The bids shall be enclosed the Original and the Copy in separately sealed envelopes and shall then be enclosed in one single envelop.

The Chairman, Procurement Committee, Chief Secretariat, S.H. Dahanayake Mawatha, Galle.

- (ii) Quotation should be sent by registered post or be deposited in the tender box kept at the Supply Branch in the Chief Secretariat, Southern Province.
- (iii) Quotation will be opened on 09<sup>th</sup> August 2024 at 02.30 p.m. after closing the bid time in the presence of bidders and /or authorized representatives, who wish to be present at the opening.

### 11. Evaluation Criteria

Accepted bids shall be evaluated by the Technical Evaluation Committee appointed for this purpose. The following factors and methodology will be used for evaluation.

The Purchaser will evaluate and compare the bids determined to be substantially responsive. i.e. which:

- (a) Bid Submission Form dully signed
- (b) Price schedule
- (c) Bid Security
- (d) Manufacturers Authorization certificate
- (e) Past performances, financial capacity & experience in the field
- (f) Compliance with the specifications without any material deviation.
- (g) Are properly filled and signed; and
- (h) Compliance to the terms and conditions

- (i) Delivery period Bidder should supply the order within 06 weeks from the date of notification of contract award/ placing of Purchase Order.
- (j) Warranty period
- (k) After sales service & Post Warranty and Maintenance cost during the defect liability period.
- (l) Completeness of the bid
- (m) Compliance to the eligibility criteria

# 12. The bidders are advised to furnish the following documents by using attached specimen forms and given instructions in this letter.

- I. Price Schedule (Specimen form attached– (Annexure 1)
- II. List of Goods and Delivery Schedule– (Annexure 1.1)
- III. Specification for Air Conditioner (Specimen form attached– (Annexure 2)
- IV. Bid Submission (Specimen form attached (Annexure 3)
- V. Format for Bid Security Guarantee (Specimen form attached– (Annexure 4)
- VI. Manufacture's Authorization (Specimen form attached– (Annexure 5)
- VII. Copy of the agreement- (Annexure 6)
- VIII. Company Profile and technical literature of the quoted Air Conditioners
  - Forms submitted other than those mentioned herein will be rejected.

### 13. The Bidder shall submit the following additional documents.

- I. A copy of Certificate of Company Registration.
- II. Evidence to prove sales experience minimum 05 years of the offered brand, for Air Conditioners.
- III. Customer list with their contact details of last 05 purchases of the offered brand.
- IV. Evidence for VAT Registration for taxable items should be attached.
- V. Copies of Audited Financial Statements for last 3 years.
- VI. Descriptive technical brochures /Literature for equipment.
- VII. A Copy of Manufacture Authorization Certification for each items.
- VIII. List of service centres in Southern Province with contact details or other documentary evidence to prove service coverage in Sothern Province.

### The Chairman,

Procurement Committee, Chief Secretariat, Southern Province.

#### **Contact details**

Address : Chief Secretariat, S.H. Dahanayake Mawatha, Galle.

Telephone : 091-94944016/ 091-4946368 Fax number : 091-2242697/ 091-2246299 E-mail address: <a href="mailto:chiefsec1@sltnet.lk">chiefsec1@sltnet.lk</a>

# Supply, Installation and Maintenance of Air Conditioners <u>Price Schedule</u>

1		2	3	4	5	6	7
Item	Descr	iption	Brand & Model	Qty	Unit Price (in Rupees)	VAT Rs.	Total Price (with VAT) Rs.
01	Air Conditioner (I Mounted Inverte			01			
02	Air Conditioner (I Mounted Inverte			01			
03	Air Conditioner (I Mounted Inverte			01			
04	Air Conditioner ( Ceiling Mounted			03			
					P	CB Coating Price	
						Total	
Note: In	case of discrepancy b	etween unit price and to	otal, unit price shall prevail.			_	
	Total Price (i	n Words):					
	Name	:					
	In capacity of	<b>:</b>					

Name of Bidders: .....

Duly Authorized to sign the Bid on behalf of:

Company Seal :

Date

· .....

## **List of Goods and Delivery Schedule**

Item	Description of	Qty	Place of	Delivery	Bidder's Offered
No	Goods		Delivery	Date	Delivery Date (To
				(weeks)	be provided by the bidder) (weeks)
01	Air Conditioner	06	Chief Secretariat – Southern Province	Within 6 weeks from Contract Awarded date	

Name	·
In capacity of	:
Signed	:
Duly Authorize	ed to sign the Bid on behalf of:
Date	:
Company Seal	·

## **Specification for 12,000 BTU Branded Inverter Air Conditioner**

Description	Requirement	Bidder's Response
General		
System	<b>Inverter</b> Split type air conditioner	
	consisting of indoor unit and	
	remote condensing unit	
Capacity	12,000 BTU	
Input	Lower than 1350 W	
Rated Current	Lower than 6.5 A	
EER (W/W)	3 - 4	
EER (Btu/h. W)		
Indoor noise level	Lower than 40 dB(A)	
Outdoor noise level	Lower than 60 dB(A)	
Refrigerant type		
(Latest, Eco friendly and	R-32	
energy efficiently)		
Gas/ Liquid Piping	Free of Charge (Not less than 5 m)	
Drain Piping	Free of Charge (Not less than 5 m)	
Room Condition	Should can control temperature	
	and also humidity	
	(24 C, 50% RH)	

Indoor Unit		
Unit	Modern and compact design	
Gross Weight	Less than 15 kg	
Mounting	Wall mounted type	
Ai Filter	Re-Usable and easy cleaning type	
Air Flow	3D Air Flow	
Air Flow Direction	Should be adjustable in <b>four</b>	
	directions (Vertical and	
	Horizontal) (Compulsory) (by	
	remote)	
Temperature Control System	Highly sensitive electronic control	
	system consisting of wireless	
	remote controller	
Self-Diagnosis	Clearly displayed failure codes	
	allow for quicker troubleshooting	
	and easier maintenance. (Ex: -	
	EC)	

Outdoor Unit		
Cover of the Unit	Sturdy, durable and resistant to the	
	weather condition	
Paint	Corrosion protective paint should	
	be applied to the outdoor unit. It	
	should resist to sea mist.	
	Price for Marine paint	
Condenser	Gold fins technology is	
	Compulsory	
	(It should resist to the sea mist)	
Compressor	High efficiency inverter type	
	compressor	

Cover for valve	Should have valve protection	
	cover	
Starting Current	Should not exceed 30 A. And	
	should not interrupt other existing	
	electrical supply	
Weight and mounting	Should be light weight and able to	
	mounted outside the building	

Other		
Safety System for Unit	Dogommandad asfaty assistates as	
Safety System for Unit	Recommended safety switches or	
	system (Time delay, under voltage	
	and over voltage cut-off relay)	
	should be supplied, unless they are	
	already built in to the unit	
Installation	Tender should do pipe line to the	
	unit. Pipe line should be insulated	
	with proper material to eliminate	
	losses of refrigeration cool	
	capacity.	
	Supplier should insulate full	
	length of copper tube correctly.	
Service Availability	The supplier should provide	
2	details of services to be provide	
	within and after guarantee period	
	and list of customers to be	
	mentioned above model	
Number of free services and	Number of free services: -	
	Number of free services	
period of free service	D 4.	
	Period: -	
	(At least 3 free service for 1 year)	
Warranty	All equipment installation should	
•	be guaranteed against the	
	premature failure and/ or	
	unsatisfactory workmanship	
	minimum up to 2 years and	
	compressor should guarantee up to	
	10 years.	
Manufacture Authorization	Bidder should submit the	
Manufacture Authorization		
	Manufacturing Authorization with	
	the bid document.	
	(Compulsory)	
Conditions for free service		
(If any condition that want to	mention clearly)	
	• /	
Conditions for warranty period	od	
(If any condition that want to	mention clearly)	
Supplier should mention adva	antages and other features of the	
quoted model.		
Without service agreement, de	o you agree to give warranty for the	
	, <u>, , , , , , , , , , , , , , , , , , </u>	1

Compressor (Yes / No)			
Supplier should submit original manufac	ture's brochure and sp	ecification	
Supplier should be a local agent in Sri La	anka (Compulsory requ	iirement)	
Quoted machine should be a branded ma	nchine		
Cost for marine paint of condenser (With required	outdoor cover and wi	thout outdoor co	over) Separately
Supplier should have at least 5 year expe (Compulsory)	rience for quoted bran	d and should su	bmit reference
Service Agreements for five (05) years		T	
Number of Services in 1 <sup>st</sup> year  Number of Services per year (After 1 <sup>st</sup> year)			
Cost for one service	Bidder should fill the all details about the services.	Cost for one unit for one service	Cost for all units for one service
Cost for one (01) service in 1 <sup>st</sup> year  Cost for one (01) service in 2 <sup>nd</sup> year  Cost for one (01) service in 3 <sup>rd</sup> year  Cost for one (01) service in 4 <sup>th</sup> year	(Compulsory) (please mention FOC if it is free)		

Cost for one (of) service in 4		
Cost for one (01) service in 5 <sup>th</sup>	year	
Questioner	,	
	Brand Name of the Air	
	Conditioner	
	Model No	
This questioner shall be	Country of Origin	
filled by the contractor and	Country of Manufacturer	
submit with manufacture's	Name of Manufacture Company	
printed technical literature. If	Actual Cooling Capacity	
any information given in the questioner is found differ at	Condition of Unit (Brand New)	
the final handing over,	Type of Indoor Unit	
contractor should be	Safety Systems	
responsible for improvement	Warranty period	For Unit: -
to meet indicated	(Details of the warranty)	For Compressor: -
specifications.	Unit Price (Without VAT)	
	Installation Price (Without VAT)	
	Other Cost (Without VAT)	
	Total Price (Without VAT)	

The Bidder shall fill the bidder's Response column, Bidder's failure to provide information requested in the bidder's Response column may be a reason for the rejection of the bid.

Name	·
In capacity of	:
Signed	:
Duly Authorize	ed to sign the Bid on behalf of:
Date	:
Company Seal	·

**Specification for 18,000 BTU Branded Inverter Air Conditioner** 

Description	Requirement	Bidder's Comment	
General			
System	<b>Inverter</b> Split type air conditioner		
	consisting of indoor unit and		
	remote condensing unit		
Capacity	18,000 BTU		
Input	Lower than 2000 W		
Rated Current	Lower than 8.5 A		
EER (W/W)	3-4		
EER (Btu/h. W)			
Indoor noise level	Lower than 40 dB(A)		
Outdoor noise level	Lower than 60 dB(A)		
Refrigerant type			
(Latest, Eco friendly and	R-32		
energy efficiently)			
Gas/ Liquid Piping	Free of Charge (Not less than 5 m)		
Extra Copper Piping rate	Per meter		
Drain Piping	Free of Charge (Not less than 5 m)		
Extra Piping rate	Per meter		
Room Condition	Should can control temperature		
	and also humidity		
	(24 C, 50% RH)		

Indoor Unit			
Unit	Modern and compact design		
Gross Weight	Less than 15.5 kg		
Mounting	Wall mounted type		
Ai Filter	Re-Usable and easy cleaning type		
Air Flow	3D Air Flow		
Air Flow Direction	Should be adjustable in four		
	directions (Vertical and		
	Horizontal)		
	(Compulsory) (by remote)		
Temperature Control System	Highly sensitive electronic control		
	system consisting of wireless		
	remote controller		
Self-Diagnosis	Clearly displayed failure codes		
	allow for quicker troubleshooting		
	and easier maintenance. (Ex: -		
	EC)		

Outdoor Unit			
Cover of the Unit	Sturdy, durable and resistant to the		
	weather condition		
Paint	Corrosion protective paint should		
	be applied to the outdoor unit. It		
	should resist to sea mist.		
	Cost for Marine paint		
Condenser	Gold fins technology is		
	Compulsory		
	(It should resist to the sea mist)		
Compressor	High efficiency inverter type		
	compressor		
Cover for valve	Should have valve protection	_	

	cover	
Starting Current	Should not exceed 50 A. And	
	should not interrupt other existing	
	electrical supply	
Weight and mounting	Should be light weight and able to	
	mounted outside the building	

Other		
	D	
Safety System for Unit	Recommended safety switches or	
	system (Time delay, under voltage	
	and over voltage cut-off relay)	
	should be supplied, unless they are	
	already built in to the unit	
Installation	Tender should do pipe line to the	
	unit. Pipe line should be insulated	
	with proper material to eliminate	
	losses of refrigeration cool	
	capacity.	
	Supplier should insulate full	
	length of copper tube correctly.	
Comvine Aveilability		
Service Availability	The supplier should provide	
	details of services to be provide	
	within and after guarantee period	
	and list of customers to be	
	mentioned above model	
Number of free services and	Number of free services: -	
period of free service		
	Period: -	
	(At least 3 free service for 1 year)	
Warranty	All equipment installation should	
,	be guaranteed against the	
	premature failure and/ or	
	unsatisfactory workmanship	
	minimum up to 2 years and	
	compressor should guarantee up to	
	10 years. (Minimum Requirement)	
Manufacture Authorization	Bidder should submit the	
	Manufacturing Authorization with	
	the bid document.	
	(Compulsory)	
Conditions for free service	* * */	
Conditions for free service		
(If a man a multiple of the second se		
(If any condition that want to	mention clearly)	
Conditions for warranty perio	d	
(If any condition that want to		
in any condition that wallt to	montroll cicarry)	
Supplier should mention adva	ntages and other features of the	
quoted model.		
quotou model.		
Without souries assessment 4	you agree to give warranty for the	
•	you agree to give warranty for the	
Compressor (Yes / No)		

Supplier should submit orig	inal manufactı	re's brochure and sn	ecification	
Supplier should be a local a				
Supplier must give all reque			in cincit)	
Supplier should supply a br				
Quoted brand air condition			by the supplier	
Cost for marine paint of con				
required	ideliser (vvidi)	outuoor cover unu wi	mout outdoor co	ver) separately
Supplier need to submit pre	vious clients' d	letails including conta	et numbers. Cor	nmittee will
consider past details about t				
Service Agreements for five (	(05) years			
Number of Services in 1 <sup>st</sup> year	r			
Number of Services per year				
year)		D: 11 1 1.1 E:11		
		Bidder should fill	Cost for one	Cost for all units
Cost for one service		the all details about the services.	unit for one	for one service
		(Compulsory)	service	
Cost for one (01) service in 1		(please mention		
Cost for one (01) service in 2		FOC if it is free)		
Cost for one (01) service in 3				
Cost for one (01) service in 4	" year			
Cost for one (01) service in 5	" year			
Questioner		0.1	T	
	Brand Name of the Air			
	Conditioner			
This questioner shall be	Model No	Country of Origin		
filled by the contractor and		<u> </u>		
submit with manufacture's	Country of M			
printed technical literature. If		Name of Manufacture Company Actual Cooling Capacity		
any information given in the	Condition of Unit (Brand New)			
questioner is found differ at	Type of Indoor Unit			
the final handing over,	Safety System			
contractor should be	Warranty per		For Unit: -	
responsible for improvement	(Details of the		For Compressor	·· _
to meet indicated	Unit Price (W		1 of Compressor	.• -
specifications.		rice (Without Tax)		
	Other Cost (V			
	Total Price (V	•		
		, , , , , , , , , , , , , , , , , , , ,	l	
The Bidder shall fill the	bidder's Resi	ponse column, Bidd	ler's failure to	provide information
requested in the bidder's R	-			-
1	r			
Name :				
In capacity of :				
• •				
-		ehalf of:		
ъ.				
Date		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	

**Specification for 24,000 BTU Branded Inverter Air Conditioner** 

Company Seal : .....

Description	Requirement	Bidder's Comment		
General				
System	Inverter Split type air conditioner consisting of indoor unit and remote condensing unit			
Capacity	24,000 BTU			
Input	Lower than 2400 W			
Rated Current	Lower than 10 A			
EER (W/W)	3 – 4			
EER (Btu/h. W)				
Indoor noise level	Lower than 40 dB(A)			
Outdoor noise level	Lower than 60 dB(A)			
Refrigerant type (Latest, Eco friendly and energy efficiently)	R-32			
Gas/ Liquid Piping	Free of Charge (Not less than 5 m)			
Extra Copper Piping rate	Per meter			
Drain Piping	Free of Charge (Not less than 5 m)			
Extra Piping rate	Per meter			
Room Condition	Should can control temperature and also humidity (24 C, 50% RH)			

Indoor Unit				
Unit	Modern and compact design			
Gross Weight	Less than 20 kg			
Mounting	Wall mounted type			
Ai Filter	Re-Usable and easy cleaning type			
Air Flow	3D Air Flow			
Air Flow Direction	Should be adjustable in <b>four</b> directions (Vertical and			
	Horizontal) (Compulsory) (by remote)			
Temperature Control System	Highly sensitive electronic control system consisting of wireless remote controller			
Self-Diagnosis	Clearly displayed failure codes allow for quicker troubleshooting and easier maintenance. (Ex: - EC)			

Outdoor Unit		
Cover of the Unit	Sturdy, durable and resistant to the weather condition	
Paint	Corrosion protective paint should be applied to the outdoor unit. It should resist to sea mist.  Cost for Marine paint	
Condenser	Gold/Blue fins technology is Compulsory (It should resist to the sea mist)	
Compressor	High efficiency inverter type compressor	
Cover for valve	Should have valve protection cover	
Starting Current	Should not exceed 55 A. And	

	should not interrupt other existing electrical supply	
Weight and mounting	Should be light weight and able to mounted outside the building	

Other		
Safety System for Unit	Recommended safety switches or	
Barety Bystem for Clift	system (Time delay, under voltage	
	and over voltage cut-off relay)	
	should be supplied, unless they are	
	**	
Tu ata llati an	already built in to the unit	
Installation	Tender should do pipe line to the	
	unit. Pipe line should be insulated	
	with proper material to eliminate	
	losses of refrigeration cool	
	capacity.	
	Supplier should insulate full	
	length of copper tube correctly.	
Service Availability	The supplier should provide	
	details of services to be provide	
	within and after guarantee period	
	and list of customers to mentioned	
	above model	
Number of free services and	Number of free services: -	
period of free service		
	Period: -	
	(At least 3 free service for 1 year)	
Warranty	All equipment installation should	
	be guaranteed against the	
	premature failure and/ or	
	unsatisfactory workmanship	
	minimum up to 2 years and	
	compressor should guarantee up to	
	10 years.	
Manufacture Authorization	Bidder should submit the	
	Manufacturing Authorization with	
	the bid document.	
	(Compulsory)	
Conditions for free service	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Conditions for free service		
(If any condition that want to	mention clearly)	
(if any condition that want to	mention cicarry)	
Conditions for warranty period		
(If any condition that want to	mention clearly)	
Supplier should mention adva	ntages and other feetures of the	
quoted model.	ntages and other features of the	
quoteu model.		
Without service agreement do	you agree to give warranty for the	
Compressor (Yes / No)	you agree to give warranty for the	
Compressor (165/140)		
Supplier should submit man	ufacture's brochure and specification	on (Compulsory)
Bahhuer suoma sanimi man	uracture s prochure and specification	on (Compuisory)

Supplier should be a local ag	gent in Sri Lan	ıka (Compulsory rear	iirement)	
Supplier must give all reque				
Supplier should supply a br	anded air cond	litioner.		
Quoted brand air condition				
Cost for marine paint of con	denser (With	outdoor cover and wi	thout outdoor co	ver) Separately
required Supplier need to submit pre	vious clients? d	latails including canta	et numbers. Con	mmittaa will
consider past details about t		ictans including conta	ict numbers. Cor	minuce win
-				
Service Agreements for five (		T	1	_
Number of Services in 1 <sup>st</sup> year Number of Services per year (		-		
year)	Alter I			
ycar)		Bidder should fill	Cost for one	Cost for all units
Cost for one service		the all details about	unit for one	for one service
		the services.	service	
Cost for one (01) service in 1 <sup>st</sup> Cost for one (01) service in 2 <sup>st</sup>	t year	(Compulsory) (please mention		
Cost for one (01) service in 2 <sup>r</sup>	d year	FOC if it is free)		
Cost for one (01) service in 3 <sup>r</sup> Cost for one (01) service in 4 <sup>t</sup>	year	, -		
Cost for one (01) service in 4  Cost for one (01) service in 5 <sup>t</sup>				
Cost for one (01) service in 3	yeai			
Questioner				
	Brand Name	of the Air		
	Conditioner			
This questioner shall be	Model No Country of Origin			
filled by the contractor and	Country of Manufacturer			
submit with manufacture's		nufacture Company		
printed technical literature. If	Actual Cooli			
any information given in the questioner is found differ at	Condition of Unit (Brand New)			
the final handing over,	Type of Indoor Unit			
contractor should be	Safety Systems			
responsible for improvement	Warranty period (Details of the warranty)		For Unit: -	
to meet indicated	Unit Price (V	• • • • • • • • • • • • • • • • • • • •	For Compressor	I; -
specifications.		Price (Without Tax)		
	Other Cost (V			
	Total Price (	·		
The Bidder shall fill the requested in the bidder's Ro				
Name :				
In capacity of :				
•	• •			
_		ehalf of:		
_				
Company Seal :				

### **Specification for 36,000 BTU Branded Inverter Air Conditioner**

Description	Requirement	<b>Bidder's Comment</b>
General (For branded air conditioner)		

System	<b>Inverter</b> Split type air conditioner	
	consisting of indoor unit and	
	remote condensing unit	
Capacity	36,000 BTU	
Input (Maximum)	Lower than 4,400 W	
Rated Current	To be specified (Less than 20 A)	
EER (W/W)	3 – 4	
EER (Btu/h. W)		
Indoor noise level	Lower than 40 dB(A)	
Outdoor noise level	Lower than 60 dB(A)	
Refrigerant type		
(Latest, Eco friendly and	R-32	
energy efficiently)		
Gas/ Liquid Piping	Free of Charge (Not less than 5 m)	
Drain Piping	Free of Charge (Not less than 5 m)	
Room Condition	Should can control temperature	
	and also humidity	
	(24 C, 50% RH)	

Indoor Unit		
Unit	Modern and compact design	
Gross Weight	To be specified	
Mounting	Ceiling mounted type	
Ai Filter	Re-Usable and easy cleaning type	
Air Flow	3D Air Flow	
Air Flow Direction	Should be adjustable in four	
	directions (Vertical and	
	Horizontal) (Compulsory) (by	
	remote)	
Temperature Control System	Highly sensitive electronic control	
	system consisting of wireless	
	remote controller	
Self-Diagnosis	Clearly displayed failure codes	
	allow for quicker troubleshooting	
	and easier maintenance. (Ex: -	
	EC)	

Outdoor Unit		
Cover of the Unit	Sturdy, durable and resistant to the	
	weather condition	
Paint	Corrosion protective paint should	
	be applied to the outdoor unit. It	
	should resist to sea mist.	
	Price for Marine paint	
Condenser	Gold, blue fins technology is	
	Compulsory	
	(It should resist to the sea mist)	
Compressor	High efficiency inverter type	
	compressor	
Cover for valve	Should have valve protection	
	cover	
Starting Current	Should not interrupt other existing	
	electrical supply	
Weight and mounting	Should be light weight and able to	
	mounted outside the building	

Other			
Safety System for Unit	Recommended safety switches or		
	system (Time delay, under voltage		
	and over voltage cut-off relay)		
	should be supplied, unless they are		
	already built in to the unit		
Installation	Tender should do pipe line to the		
	unit. Pipe line should be insulated		
	with proper material to eliminate		
	losses of refrigeration cool		
	capacity.		
	Supplier should insulate full		
	length of copper tube correctly.		
Service Availability	The supplier should provide		
Service rivaliability	details of services to be provide		
	within and after guarantee period		
	and list of customers to mentioned		
	above model		
Number of free services and	Number of free services: -		
period of free service	rumber of free services.		
period of free service	Period: -		
	(At least 3 free service for 1 year)		
	(At least 3 free service for 1 year)		
Warranty	All equipment installation should		
vv arranty	be guaranteed against the		
	premature failure and/ or		
	unsatisfactory workmanship		
	· ·		
	minimum up to 1 year and		
	compressor should guarantee up to 5 years.		
	•		
Manufacture Authorization	Bidder should submit the		
	Manufacturing Authorization with		
	the bid document.		
	(Compulsory)		
Conditions for free service	1		
(If any condition that want to	mention clearly)		
(= 11-5	,		
Conditions for warranty perio			
(If any condition that want to	mention clearly)		
Compliand of and and	atagas and other frager. C.1		
	ntages and other features of the		
quoted model.			
Without or the state of the stat			
_	o you agree to give warranty for the		
Compressor (Yes / No)			
	0 4 9 1 1 1	(C. 1.	
	nufacture's brochure and specification		
	gent in Sri Lanka (Compulsory requ	urement)	
Quoted machine should be a			
	denser (With outdoor cover and wi	thout outdoor cover) Separately	
required			
	t 5-year experience for quoted bran	d and should submit reference	
(Compulsory)			
		1	

Service Agreements for five (05) years			
Number of Services in 1 <sup>st</sup> year			
Number of Services per year (After 1 <sup>st</sup>			
year)	Diddom should fill		
Cost for one service	Bidder should fill the all details about the services.	Cost for one unit for one service	Cost for all units for one service
Cost for one (01) service in 1 <sup>st</sup> year	(Compulsory) (please mention		
Cost for one (01) service in 2 <sup>nd</sup> year	FOC if it is free)		
Cost for one (01) service in 3 <sup>rd</sup> year			
Cost for one (01) service in 4 <sup>th</sup> year			
Cost for one (01) service in 5 <sup>th</sup> year			

Questioner		
	Brand Name of the Air	
	Conditioner	
	Model No	
This questioner shall be	Country of Origin	
filled by the contractor and	Country of Manufacturer	
submit with manufacture's	Name of Manufacture Company	
printed technical literature. If	Actual Cooling Capacity	
any information given in the questioner is found differ at	Condition of Unit (Brand New)	
the final handing over,	Type of Indoor Unit	
contractor should be responsible for improvement to meet indicated specifications.	Safety Systems	
	Warranty period	For Unit: -
	(Details of the warranty)	For Compressor: -
	Unit Price (Without Tax)	
	Installation Price (Without Tax)	
	Other Cost (Without Tax)	
	Total Price (Without Tax)	

The Bidder shall fill the bidder's Response column, Bidder's failure to provide information requested in the bidder's Response column may be a reason for the rejection of the bid.

Name	:
In capacity of	:
Signed	:
Duly Authorize	ed to sign the Bid on behalf of:
Date	:
Company Seal	·

-	e Bidder shall fill in this Form in accordance with the instructions indicated No alterations to ormat shall be permitted and no substitutions shall be accepted.]
	Date:
	No.:
To:	Chief Secretary, Chief Secretariat, Southern Province
We,	the undersigned, declare that:  We have examined and have no reservations to the Bidding Documents, including Addenda No.:
(b)	We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services; Supply, Installation and Maintenance of Air Conditioners
(c)	The total price of our Bid without VAT, including any discounts offered is:
	[insert the total bid price in words and figures];
(d)	The total price of our Bid including VAT, and any discounts offered is:
	[insert the total bid price in words and figures];
(e)	Our bid shall be valid for the period of time specified in ITB from the date fixed for the bid submission deadline in accordance with ITB and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
(f)	If our bid is accepted, we commit to obtain a performance security in accordance with ITB for the due performance of the Contract;
(g)	Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the contract—has not been declared blacklisted by the Department of Public Finance, National Procurement Agency and Southern Provincial Council.
(h)	We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
(i)	We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
Sign	ned:

[insert signature of perso	n whose name and ca	pacity are shown]	
In the capacity of:			
[insert legal capacity of p	person signing the Bid	Submission Form	]
Name:			
[insert complete name of	person signing the Bi	d Submission Fort	n]
Duly authorized to sign the	ne bid for and on beha	lf of:	
[insert complete name of	Bidder]		
Dated on	day of	,	[insert date of signing]

Beneficiary: C	Chief Secretary, Chief Se	cretariat, Southern Province.
Date	•••••	[insert (by issuing agency) date]
BID GUARA	NTEE No.:	[insert (by issuing agency) number]
name of the Bi "the Bidder") agency) do for Bids No	idder; if a joint venture, has submitted to you ate](hereinafter calle	[insert (by issuing agency)] ist complete legal names of partners] (hereinafter called its bid dated
[insert Name of exceeding in figures] upon receipt by the Bidder is in	of issuing agency] hereby n total an amount y us of your first demand n breach of its obligation(	irrevocably undertake to pay you any sum or sums not of
(a) (b)		luring the period of bid validity specified; or rrection of errors in accordance with the Instructions to
, ,	Bidders (hereinafter "tl	
(c)	period of bid validity	of the acceptance of its Bid by the Purchaser during the property, (i) fails or refuses to execute the Contract Form, if or refuses to furnish the Performance Security, in B.
the Contract si (b) if the Biddenotification to	gned by the Bidder and o er is not the successful be the Bidder that the Bidde	dder is the successful bidder, upon our receipt ofcopies of f the Performance Security issued to youby the Bidder; or dder, upon the earlier of (i) our receipt of a copy of your r was unsuccessful, otherwise it will remain in force up to
(insert date)		
	equently any demand for	payment under this Guarantee must be received by us at

Annexure - 5

### Manufacturer's Authorization

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions

indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the BDS.] Date: ..... [insert date (as day, month and year) of Bid Submission1 No.....[insert number of bidding process] To: ...... [insert complete name of Purchaser] **WHEREAS** We of Manufacturer], who are official manufacturers of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by of the Goods], and to subsequently negotiate and sign the Contract. We hereby extend our full guarantee and warranty in accordance with the Conditions of Contract, with respect to the Goods offered by the above firm. Signed: [insert signature(s) of authorized representative(s) of the Manufacturer] Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder] 

### Agreement

This agreement made on the 01<sup>st</sup> October 2024 (date) between Ranil Wickramasekara, Deputy Chief Secretary (Admin), Chief Secretariat – Southern Province, S.H. Dahanayake Mawatha, Galle (here in after "the purchaser") of the one part and Mastiyage Don Chris Bevan Gunathilaka, Sales Manager – A/C Sales Department, Singhagiri (Pvt) Ltd, 515, T.B. Jayah Mawatha, Colombo 10 (name and address) (here in after "the Supplier") of the other part.

WHEREAS the purchaser invited bids for **Supply, Installation and Maintenance of Air Conditioners** for **Chief Secretariat – Southern Province**, and has accepted a bid by the Contractor for the execution and completion of such works and the remedying of any defects therein.

#### NOW THIS AGGREMENT WITNESSES AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meaning as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed too from and be read and construed as part of this Agreement.
- 2. The following documents shall be deemed to form and be read and construed as part of the Agreement, vise:
  - (a) The purchaser's Notification to the Supplier of Award of Contract,
  - (b) The Bid Submission sheet and the Price Schedules submitted by the Supplier
  - (c) The Special Condition of Contract;
  - (d) The General Conditions of Contract;
  - (e) The Specification
  - (f) The schedule of supply

This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the contract documents, then the documents shall prevail in the order listed above.

- 3. In consideration of the payments to be made by the Purchaser to the Supplier as indicated in this Agreement, the supplier hereby covenants with the Purchaser to provide the Goods and Related Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods & Related Services and the remedying of defects therein, the Contract Price of such other sum as may become payable under the provision of the Contract at the times and in the manner prescribed by the Contract.
- 5. The job should be completed within thirty due days of signed the agreement, unless the Performance bond transfer in to money.

6.	WITNESS where of the parties here to have caused this Agreement to be executed in accordance with the
	laws of Democratic Socialist Republic of Sri Lanka on the day, month and year indicated above.

### For the Purchaser:

Signature : .....

Name : Ranil Wickramasekara

Designation : Deputy Chief Secretary (Admin), Southern Province

Address : S. H. Dahanayake Mawatha, Galle.

### For the Supplier:

Signature :

Name : Chris Bevan

 $Designation \qquad : \qquad Sales \ Manager - A/C \ Sales \ Department$ 

Address : Singhagiri (Pvt) Ltd, 515, T.B. Jayah Mawatha, Colombo 10

In the presence of In the presence of

WitnessWitnessName:Name:Signature:Signature:Address:Address:Date:Date: